



INSERT ELECTRIC APPLIANCE

Model	BTU	Width		Height		Depth		Viewing Area
		Actual	Framing	Actual	Framing	Actual	Framing	
CEFB26H	5,000	26	25 1/4	20 5/16	19 7/8 + F	7 3/4	7 3/4	23 15/16 X 15 3/16
CEFB30H		30	29 1/4					27 15/16 X 15 3/16

DIMENSIONS




ROUGH FRAMING



INSERT ELECTRIC APPLIANCE

Unpacking & Testing Appliance


Carefully remove the appliance from the box. Prior to installing the appliance, remove all packaging material and test to make sure the appliance operates properly by plugging the power supply cord into a conveniently located 120V, 15 Amp minimum grounded outlet.




Minimum Mantel Clearances

! WARNING


- When using paint or lacquer to finish the mantel, the paint or lacquer must be heat resistant to prevent discolouration.



Optional Trim Kits (NEFTK2636 & NEFTK3040)



3 pieces of trim installed




4 pieces of trim installed

Ref.	NEFTK2636 (fits CEFB26H)	NEFTK3040 (fits CEFB30H)
A	36" (914mm)	40" (1016mm)


APPAREIL ÉLECTRIQUE INSÉRÉ

Modèle	BTU	Largeur		Hauteur		Profondeur		Dimensions de Vision
		Réel	Ossature	Réel	Ossature	Réel	Ossature	
CEFB26H	5,000	26	25 1/4	20 5/16	19 7/8 + F	7 3/4	7 3/4	23 15/16 X 15 3/16
CEFB30H		30	29 1/4					27 15/16 X 15 3/16

DIMENSIONS



OSSATURE APPROXIMATIF




APPAREIL ÉLECTRIQUE INSÉRÉ

Déballage & Vérification d'Appareil

Retirez soigneusement l'appareil de la boîte et retirez les supports. Avant d'installer l'appareil, retirez tous les matériaux d'emballage et vérifiez que l'appareil fonctionne correctement en branchant le cordon d'alimentation dans une prise de terre minimale de 120V, 15 ampères, mise à la terre.


Manuel, Ensemble de Quincaillier & Télécommande




Dégagements Minimaux à la Tablette

⚠ AVERTISSEMENT


- Lorsque vous utilisez de la peinture ou de la laque pour finir la tablette, la peinture ou la laque doit être résistante à la chaleur pour éviter la décoloration.



Kits de Finition en Option (NEFTK2636 & NEFTK3040)



3 pièces de garniture installées



4 pièces de garniture installées

Réf.	NEFTK2636 (pour CEFB26H)	NEFTK3040 (pour CEFB30H)
A	36" (914mm)	40" (1016mm)